

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Table Ware	Determination of Heavy Metals by mg/L		ES 2060-1:2008 ES 2060-2:2007	Atomic Absorption Spectroscopy Model: 280FSAA S.N: AA1202M040
	Element	LOQ		
	Pb	0.05		
	Cd	0.03		
Vegetable & Animal oil/fats	Determination of fatty acids (C chain)	LOQ %	ISO 12966-2:2017	Gas Chromatography (FID) Model: GC 7890B S.N: US19293018
	0.03	C12		
	0.04	C14		
	0.03	C16		
	0.03	C16:1		
	0.03	C18		
	0.04	C18:1		
	0.08	C18:2		
	0.10	C18:3		
	0.04	C20		

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured/ Range of Measurements	Standard Specifications / Techniques Used	
Vegetable & Animal oil/fats	Determination of - Saturated fatty acids - Mono-unsaturated fatty acids - Poly-unsaturated fatty acids	ISO 12966-4:2015	Gas Chromatography (FID) Model: GC 7890B S.N: US19293018
	Determination of Peroxide number of extracted oil from food	ES: 51-2:2018 ISO 3960:2017	Water bath Model: Memert, SN : 14980206 Balance Model: Voyager, SN : G0811121051295
Cereals & Pulses by products	Determination of Moisture	BS EN ISO 712:2009 ES 7110:2010	Oven Model: J.P Selecta, S.N: 601738
	Determination of Ash	ISO 2171:2007 ES 7378:2011	Furnace Model: stuart scientific, S.N: 580 Balance Model: v14130, S.N: G0811121051295

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 2 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured/ Range of Measurements	Standard Specifications / Techniques Used	
Cereals	Detection of test weight for wheat grains	ISO 7971-3:2009 ES4052-3:2010	Nilmalitre Model chopin, S.N 17080003 Balance, KERN Model: KB3600-2N S.N. W1700903
Food	Determination of Sugar	ES 355-2:2005 In-house method Food safety and standards authority of India Ministry of health and family welfare government of India New Delhi 2012	Water bath Model : Memert, SN:14980206 Balance Model: Voyager, SN: G0811121051295
Honey	Determination of moisture content	ES 355-2:2005	Abbé Refractometer Model: NAR3T, S.N: 0 11207
	Determination of hydroxy methyl furfural	AOAC 980.23:2019	Spectrophotometer Model: Lambda 20, S.N: 101N9122222 Balance Model: Voyager, S.N: G081112105129

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 3 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured/ Range of Measurements	Standard Specifications / Techniques Used	
Meat and meat products	Determination of total volatile Nitrogen	ES 3602:2013 ES 1522:2005 ES 63-9:2006	Kjeldahl Model: Electrothermal, S.N: KGZ2t23517120414 Balance Model: Voyager, SN: G0811121051295
Food	Determination of total phosphorous as P ₂ O ₅ (LOQ=0.003 µg/gm)	AOAC 995.11:2019	UV Spectrophotometer Model: Lambda 20, S.N: 101N912222
Vanillin	Determination of melting point	In house method (TM-NDT-G7-02-04) Based on Manual of instrument Automated Melting & Dropping point Analysis, and British Pharmacopeia Vole II	Melting point system Model: MP 90 S.N: B927896455
Syrups	Determination of total soluble solids	AOAC 932.14:2005	Abbé Refractometer Model: NAR3T S.N: 0 11207

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 4 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured/ Range of Measurements	Standard Specifications / Techniques Used	
Food	Determination of heavy metals		AAS aglint varian Model: 280 Fs/240Z S.N: AA 1202M040 AOAC 999/10:2015
	Element	LOQ ppb	
	Pb	0.29	
	Cd	0.06	
	Fe	0.04	
	Zn	0.02	
	Cu	0.02	
Food	Determination of Sweeteners (Acesulfame K, Aspartam, Cyclamate and Saccharin)	In house method based on Journal of Food and Drug analysis 22 (2014) -315-328	High Performance Liquid Chromatography (HPLC MS/MS) Model: G1311e S.N: 4511497010
	Determination of Preservatives Citric Acid LOQ: 50 ppm Sodium benzoate LOQ: 10 ppm Potasssium sorbate LOQ: 10 ppm	In house method based on Food Control 13 (2002) 117-123	High Performance Liquid Chromatography (HPLC/DAD) Model: series 200 S.N: 293N4081805 S.N: 291N4081202

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 5 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured		Standard Specifications / Techniques Used	
Food	Synthetic Food Colorants	LOQ ppm	In house method (TM-RS-7-02-12)	HPLC/DAD/FLD
	Tartrazine (E102)	2.5	based on:	Model: 1290 infinity II, 1260 infinity II
	Quinoline yellow (E104)	2.5	Analytica Chimica Acta	DEAEQ27164 (ALS)
	Sunset yellow FCF (E110)	2.5	583(2007)103-110	DEBBP12792 (ALS)
	Ponceau 4R (E124)	2.5		DEAEU 01560 (pump)
	Erythrosine (E127)	2.5		DEAC608534 (DAD)
	Allura Red (E129)	2.5		
	Patent Blue V (E131)	2.5		
	Indigo Carmine (E132)	2.5		
	Brilliant Blue FCF (E133)	2.5		
	Green S (E142)	2.5		
	Carmosine (E122)	2.5		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 6 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Food Cereals	Mycotoxins analysis (Ochratoxin-A, Zearalenone, DON & Total aflatoxin, Fumonisin)	LOQ ppb	In house method (TM-RS-G7-02-14) Based on The Quantitation of Mycotoxins in Cereals Using a Simple Sample Extraction and LC-MS/MS with Fast Polarity Switching and the Scheduled MRM™ Algorithm, Jianru Stahl-Zeng, Stephen Lock, AB SCIEX	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+
	B1	0.25		
	B2	0.082		
	G1	0.235		
	G2	0.14		
	OTA	0.5		
	Zearalenone	20		
	DON	20		
	FB1	20		
	FB2	20		
Oil	Zearalenone	20		
Juice	OTA	0.5		
Dried Fruit	B1	0.25		
	B2	0.08		
	G1	0.24		
	G2	0.14		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 7 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Spices	Mycotoxins analysis (Ochratoxin-A, Zearalenone, DON & Total aflatoxin, Fumonisin)	LOQ ppb	In house method (TM-RS-G7-02-14) based on Paper Published on ABSiex.	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+
		B1		
		B2		
		G1		
		G2		
		OTA		
Nuts		B1		
		B2		
		G1		
		G2		
Bread	Zearalenone DON	20.0		
		20.0		
Milk	Determination of Aflatoxin M ₁	0.016	In house method (TM-RS-7-02-11) Based on Vicam Instruction Manual GN-MC9512-3+Rev[1].B+(Afla-M1)	HPLC/DAD/FLD Model: 1290 infinity II, 1260 infinity II DEAEQ27164 (ALS), DEBBP12792 (ALS) DEAEU 01560 (pump), DEAEJ0140 (FLD)

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 8 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	2,3,5,6-Tetrachloroaniline		
	2,4-DDD		
	2-phenyl phenol		
	3,4-Dichloroaniline		
	3-Hydroxycarbofuran		
	Abamectin		
	Acephate		
	Acequinocyl		
	Acibenzolar-S-methyl		
	Acetamiprid		
	Acetochlor		
	Acrinathrin		
	Acrinathrin Pos I		
	Alachlor		
	Aldicarb NH4		
	Aldicarb sulfone		
	Aldicarb sulfoxide		
	Aldrin		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 9 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Allethrin		
	Allidochlor		
	Ametoctradin		
	Ametryn		
	Amidosulfuron		
	Aminocarb (Metacil)		
	Amisulbrom		
	Amitraz		
	Amitrole		
	Anthraquinone		
	Asana (Esfenvalerate)		
	Atrazine		
	Azaconazole		
	Azamethiphos		
	Azimsulfuron		
	Azinphos Ethyl		
	Azinphos Methyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 10 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Azoxystrobin		
	Beflubutamid		
	Benalaxyl		
	Bendiocarb I		
	Benfluralin		
	Benfuracarb		
	Benomyl		
	Bensulfuron-methyl		
	Bensultap		
	Bentazone		
	Benthiavalicarb isopropyl 1		
	Benzoximate		
	Beta-HCH		
	BHC-alpha (benzene hexachloride)		
	BHC-beta		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 11 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	BHC-delta		
	BHC-gamma (Lindane, gamma HCH)		
	BHT (2,4 di-tert-butyl-4, methyl phenol)		
	Bifenazate		
	Bifenox		
	Bifenthrin		
	Biphenyl		
	Bitertanol		
	Boscalid		
	Bromacil		
	Bromadiolone		
	Bromfeninfos		
	Bromophos		
	Bromophos Ethyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 12 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)		
	Bromophos methyl	0.005		
	Bromopropylate	0.01		
	Bromucanazole I	0.005		
	Bromucanazole II	0.005		
	Bromuconazole	0.005		
	Bupirimate	0.005		
	Buprofezin	0.005		
	Butocarboxim	0.005		
	Butocarboxim sulfoxide	0.005		
	Butoxycarboxim	0.005		
	Butralin	0.005		
	Buturon	0.005		
	Butylate	0.010		
	Cadusafos	0.005		
	Captafol	0.050		
	Captan	0.005		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 13 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Carbaryl		
	Carbendazim		
	Carbofuran		
	Carbofuran-3-hydroxy		
	Carbophenothion		
	Carbosulfan		
	Carboxine		
	Carfentrazone-ethyl		
	Chlorbufam		
	Chloramphenicol		
	Chlorantraniliprole		
	Chlorbenside		
	Chlorbromuron		
	Chlorbufam		
	Chlordane-cis		
	Chlordane-trans		
	Chlorfenapyr		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 14 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Chlorfenson	0.01	
	Chlorfenvinphos I	0.005	
	Chlorfenvinphos II	0.005	
	Chloridazon	0.005	
	Chlorobenzilate	0.05	
	Chlorophacinone	0.005	
	Chloropicrin	0.005	
	Chloropropham	0.005	
	Chlorothalonil	0.005	
	Chloroxuron	0.005	
	Chlorpropham	0.005	
	Chlorpyrifos	0.01	
	Chlorpyrifos-methyl	0.005	
	Chlorsulfuron	0.010	
	Chlorthiophos	0.005	
	Chlozolate	0.01	
	Chromafenozide- Cinidon ethyl	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 15 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	Cinosulfuron		
	LOQ (mg/kg)		
	0.005		
	Cis-1,2,3,6-Tetrahydrophthalimide		
	0.01		
	Clethodim		
	0.005		
	Clodinafop propargyl ester		
	0.005		
	Clofentezine		
	0.005		
	Clomazon		
	0.005		
	Cloquintocet-mexyl		
	0.005		
	Clothianidin		
	0.005		
	Coumaphos		
	0.005		
	Coumatetralyl		
	0.005		
	Cyazofamid		
	0.01		
	Cycloate		
	0.005		
	Cycloheximide		
	0.005		
	Cyflufenamid		
	0.005		
	Cyfluthrin 1		
	0.01		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 16 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Cyfluthrin 2		
	Cyfluthrin 4		
	Cyfluthrin3		
	Cyhalothrin,lamda		
	Cymoxanil		
	Cypermethrin 1		
	Cypermethrin 2		
	Cypermethrin 3		
	Cypermethrin 4		
	Cyproconazole I		
	Cyproconazole II		
	Cyprodinil I		
	Cyromazine		
	Dazomet		
	DCPA		
	DDD-o,p		
	DDD-p,p'		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 17 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. () Valid to: October 23, 2027

Materials / Products Tested	DDE-o,p'	0.01	Standard Specifications / Techniques Used
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	DDE-p,p'	0.01	
	DDT-o,p	0.01	
	DDT-p,p	0.01	
	Deltamethrin	0.005	
	Demeton-S-methyl	0.005	
	Demeton-S-methyl-sulfone	0.005	
	Demeton-S-methyl-sulfoxide	0.005	
	Desmedipham	0.050	
	Diafenthiuron	0.005	
	Diallate I	0.01	
	Diazinon	0.005	
	Dicamba	0.050	
	Dichlobenil	0.005	
	Dichlofenthion	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 18 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Dichloran		
	Dichlorobenzonitrile, 2,6		
	Dichlorobenzophenone, 4,4'		
	Dichlorprop Isomer II		
	Dichlorprop I		
	Dichlorprop II		
	Dichlorvos		
	Dicloran		
	Dicofol		
	Dicrotophos		
	Dieldrin		
	Diethofencarb		
	Difenoconazole		
	Diflubenzuron		
	Diflufenican		
	Dimethachlor		
	Dimethenamid		
	Dimethoate		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 19 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Dimethomorph II	0.005	
	Dimethomorph I	0.005	
	Dimoxystrobin	0.005	
	Diniconazole	0.005	
	Dinotefuran	0.005	
	Dinoterb	0.005	
	Diphacinone	0.005	
	Diphenamid	0.01	
	Diphenylamine	0.01	
	Disulfoton	0.01	
	Disulfoton sulfone	0.005	
	Disulfoton sulfoxide	0.005	
	Diuron	0.01	
	Dodemorph	0.005	
	Dodine	0.005	
	Edifenphos	0.05	
	Emamectin-benzoate	0.005	
	Endosulfan ether	0.01	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 20 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Endosulfan I (alpha isomer)	0.01	
	Endosulfan II (beta isomer)	0.01	
	Endosulfan sulfate	0.01	
	Endrin	0.01	
	Endrin aldehyde	0.01	
	Endrin Keton	0.01	
	EPN	0.005	
	Epoxiconazole	0.005	
	Ethalfuralin	0.01	
	Ethephon	0.005	
	Ethiofencarb Sulfoxide	0.005	
	Ethion	0.005	
	Ethirimol	0.050	
	Ethofumesate Isomer I	0.005	
	Ethofumesate Isomer I	0.005	
	Ethoprophos	0.005	
	Ethoxyquin	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 21 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Ethylan	0.01	
	Etofenprox	0.005	
	Etoazole	0.005	
	Etrimfos	0.005	
	Famoxadone	0.005	
	Fenamidone	0.005	
	Fenamiphos	0.005	
	Fenamiphos - sulfoxide	0.005	
	Fenarimol	0.005	
	Fenazaquin	0.005	
	Fenbuconazole	0.005	
	Fenbutatin oxide	0.005	
	Fenfuram	0.050	
	Fenhexamid	0.005	
	Fenitrothion	0.005	
	Fenoxaprop	0.005	
	Fenoxaprop-P-ethyl	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 22 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Fenoxycarb	0.005	
	Fenprothrin I	0.005	
	Fenpropidin	0.005	
	Fenpropimorph	0.005	
	Fenpyroximate	0.005	
	Fensulfothion	0.005	
	Fensulfothionoxon	0.005	
	Fenthion	0.005	
	Fenthion oxon sulfoxide	0.005	
	Fenthion -sulfoxide	0.050	
	Fenthion-sulfone	0.005	
	Fenthion-sulfoxide	0.005	
	Fenuron	0.005	
	Fenvalerate 1	0.01	
	Fenvalerate 2	0.01	
	Fipronil	0.005	
	Fipronil-sulfone	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 23 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Flonicamid		
	Florasulam		
	Fluazifop		
	Fluazifop-P		
	Fluazifop-p-butyl		
	Fluazinam		
	Flubendiamide		
	Flucarbazon		
	Fluchloralin		
	Flucythrinate		
	Flucythrinate 1		
	Flucythrinate 2		
	Fludioxinil		
	Flufenoxuron		
	Fluometuron		
	Fluopicolide		
	Fluopyram		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 24 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Fluquinconazole	0.005	
	Fluridone	0.01	
	Fluroxpyr	0.005	
	Fluroxpyr (205)	0.005	
	Fluroxypyr - meptyl	0.005	
	Flusilazole	0.005	
	Flutolanil	0.005	
	Flutriafol	0.005	
	Fluvalinate	0.01	
	Folpet	0.005	
	Fonofos	0.005	
	Foramsulfuron	0.005	
	Foechlorfenuron	0.010	
	Formothion	0.005	
	Fosthiazate	0.005	
	Fuberidazole	0.005	
	Furathiocarb	0.005	
	Gamma-HCH	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 25 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Halosulfuron methyl		
	Heptachlor		
	Heptachlor exo-epoxide		
	Heptenophos		
	Hexachlorobenzene		
	Hexaconazole		
	Hexazinone		
	Hexythiazox		
	Hymexazol		
	Imazalil		
	Imidacloprid		
	Indoxacarb		
	Iodofenphos		
	Ipconazol		
	Iprobenfos		
	Iprodione		
	Iprovalicarb I		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 26 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Isazofos	0.01	
	Isodrin	0.01	
	Isofenphos	0.005	
	Isofenphos-methyl	0.005	
	Isofenphos-oxon	0.010	
	Isoprocarb	0.005	
	Isopropalin	0.01	
	Isoprothiolane	0.005	
	Isoproturon	0.005	
	Kresoxime	0.005	
	Kresoxim-methyl	0.005	
	Lenacil	0.005	
	Leptophos	0.01	
	Linuron	0.005	
	Lufenuron	0.005	
	Lufenuron 1	0.005	
	Lufenuron 2	0.005	
	Malaoxon	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 27 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Malathion		
	Malaxon		
	Mandipropamid		
	MCPP (Mecoprop)		
	Mecarbam		
	Mecoprop-P isomer I		
	Mecoprop-P isomer II		
	Mefenpyr diethyl		
	Mepanipyrim		
	Mepronil		
	Mesotrione		
	Metaflumizone		
	Metalaxyl		
	Metaldehyde		
	Metamitron		
	Metazachlor		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 28 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Metconazole		
	Methabenzthiazuron		
	Methacrifos		
	Methamidophos		
	Methidathion		
	Methiocarb		
	Methiocarb-sulfone		
	Metconazole		
	Methabenzthiazuron		
	Methacrifos		
	Methiocarb-sulfoxide		
	Methomyl		
	Methoxychloro		
	Methoxychlor olfein		
	Methoxychlor -p,p		
	Methoxychlor-o,p		
	Methoxyfenozide parathion-Methy		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 29 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues		EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)		
	Methyl-Paraoxon	0.005		
	Metolachlor	0.005		
	Metosulam	0.005		
	Metoxuron	0.005		
	Metrafenone	0.005		
	Metribuzin	0.005		
	Metsulfuron methyl	0.005		
	Mevinphos (Phosdrin)	0.005		
	MGK-264	0.01		
	Mirex	0.01		
	Monceren Pencycuron	0.005		
	Monocrotophos	0.005		
	Monolinuron	0.005		
	Monuron	0.005		
	Myclobutanil	0.005		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 30 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	N-(2,4-dimethylphenyl) formamide		
	Napropamide		
	Neburon		
	Nicosulfuron		
	Nitenpyram		
	Nitralin		
	Nonachlor-cis		
	Nonachlor-trans		
	Norflurazone		
	Novaluron		
	Nuarimol		
	Ofurace		
	Omethoate		
	Orthosulfamuron		
	Oxadiargyl		
	Oxadiazon		
	Oxadixyl		
	Oxamyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 31 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Oxasulfuron		
	Oxycarboxin		
	Oxyfluorfen		
	Oxymatrine		
	Pacllobutrazol		
	Paraaxon		
	Paraaxon-Methyl		
	Parathion		
	Parathion Methyl		
	Pebulate		
	Penconazole		
	Pencycuron		
	Pendimethalin		
	Penoxsulam		
	Pentachloroaniline		
	Pentachloroanisole		
	Pentachlorobenzene		
	Pentachlorobenzonitrile		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 32 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues		EN 15662:2018 UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Pentachloronitrobenzen	0.01	
	Pentachlorothioanisol	0.01	
	Peridaly	0.005	
	Permethrin	0.010	
	Permethrin Trans	0.01	
	Permethrine isomer	0.050	
	Phenmedipham	0.005	
	Phenothrin 1	0.01	
	Phenothrin 2	0.01	
	Phenthoate	0.01	
	Phorate isomer	0.005	
	Phorate Sulfone	0.005	
	Phorate Sulfoxide	0.005	
	Phosalone	0.01	
	Phosfolan	0.005	
	Phosmet	0.005	
	Phosphamidon	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 33 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Phoxim		
	Picolinafen		
	Picoxystrobin		
	Pinoxaden		
	Pioxystrobin		
	Piperonyl butoxide		
	Pirimicarb		
	Pirimicarb desmethyl		
	Pirimiphos ethyl		
	Pirimiphos-methyl		
	Praoxon		
	Pretilachlor		
	Primicarb		
	Prochloraz		
	Procymidone		
	Prodiamine		
	Profenofos		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 34 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Profluralin		
	Promecarb		
	Prometon		
	Prometryne		
	Propachlor		
	Propagitte		
	Propamocarb		
	Propanil		
	Propaquizafop		
	Propargite		
	propazine		
	Propazine-2-hydroxy		
	Propetamphos		
	Propiconazole I		
	Propiconazole II		
	Propisochlor		
	Propoxur		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 35 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Propyzamide		
	Proquinazide		
	Prosulfocarb		
	Prothioconazole		
	Prothiofos		
	Pymetrozine		
	Pyraclofos		
	Pyraclostrobin		
	Pyraflufen ethyl		
	Pyrazophos		
	Pyrazosulfuron-ethyl		
	Pyrethrins		
	Pyridaben		
	Pyridalyl		
	Pyridaphenthion		
	Pyrifenox		
	Pyrifenox 2		
	Pyrimethanil		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 36 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Pyriproxyfen		
	Pyroxsulam		
	Quinalphos		
	Quinclorac		
	Quinmerac		
	Quinoxifen		
	Quizalofop ethyl		
	Resmethrin 1		
	Resmethrin 2		
	Ronnel		
	Sebuthylazine 1		
	Sebuthylazine 2		
	Sethoxydim		
	Simazine		
	Simetryn		
	S-Metolachlor		
	Spencycuron		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 37 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Spinetoram		
	Spinosad A I		
	Spinosad A II		
	Spinosad D		
	Spirodiclofen		
	Spiromesifen		
	Spirotetramat		
	Spirotetramat-enol I		
	Spiroxamine		
	Sulcotrione		
	Sulfamethazine		
	Sulfathiazole		
	Sulfotepp		
	Sulfoxaflor 1		
	Sulfoxaflor 2		
	Sulprofos		
	Tau-fluvalinate 1		
	Tau-fluvalinate 2		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 38 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Tebuconazole		
	Tebufenozide		
	Tebufenpyrad		
	Tebuthiuron		
	Tecnazene		
	Teflubenzuron		
	Teflurthrin		
	Tepraloxymdim		
	Terbacil		
	Terbufos		
	Terbufos-sulfone		
	Terbufos-sulfoxide		
	Terbumeton		
	Terbuthylazine		
	Terbutryn		
	Tetrachlorvinphos		
	Tetrachlorvinphos isomer		
	Tetraconazole		
	Tetradifon		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 39 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Tetramethrin 1		
	Tetramethrin 2		
	Thiabendazole		
	Thiacloprid		
	Thiamethoxam		
	Thiencarbazone-Methyl		
	Thifensulfuron-Methyl 1		
	Thiobencarb 1		
	Thiocyclam hydrogen oxalate		
	asthiocyclam		
	Thiodicarb		
	Thiofanox		
	Thiometon		
	Thiophanate-methyl		
	Tolclofos methyl		
	Tolfenpyrad		
	Tolylfluanid		
	Tralkoxydim 1		
	Transfluthrin		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 40 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues	EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Triadimefon		
	Triadimenol		
	Tri-allate		
	Triasulfuron 1		
	Triazofos		
	Triazoxide		
	Tribenuron-methyl		
	Trichlorfon		
	Triclopyr 1		
	Tricyclazole		
	Trietazine 1		
	Trifloxystrobin		
	Triflumizole		
	Triflumuron		
	Trifluralin		
	Triflusulfuron-methyl 1		
	Triforine		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 41 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Food of plant origin	Determination of Pesticide Residues		EN 15662:2018	UPLC-MS/MS S.N.: DY252171903 Model: QTRAP 6500+ GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/Kg)		
	Triticonazole	0.005		
	Vamidothion	0.005		
	vinclozolin	0.01		
	Zoxamide	0.010		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 42 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	2,4-DDD		
	2,3,5,6-Tetrachloroaniline		
	2-Phenylphenol		
	3,4-Dichloroaniline		
	3-Hydroxycarbofuran		
	Abamectin		
	Acephate		
	Acequinocyl		
	Acetamiprid		
	Acrinathrin		
	Acrinathrin Pos 1		
	Alachloro		
	Aldicarb NH4		
	Aldicarb sulfone		
	Aldicarb sulfoxide		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 43 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/Kg)		
	Aldrin		
	Allethrin		
	Ametoctradin		
	Ametryn		
	Amidosulfuron		
	Aminocarb (Metacil)		
	Amitraz		
	Amitrole		
	Asana (Esfenvalerate)		
	Atrazine		
	Avermectin Ba		
	Azaconazole		
	Azamethiphos		
	Azimsulfuron		
	Azinphos Ethyl		
	Azinphos Methyl		
	Azoxystrobin		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 44 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Millk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (ppb)		
	Beflubutamid		
	0.05		
	Benalaxyl		
	0.005		
	Bendiocarb I		
	0.005		
	Bendiocarb II		
	0.005		
	Benfluralin		
	0.01		
	Benfuracarb		
	0.005		
	Benomyl		
	0.005		
	Bensulfuron-methyl		
	0.005		
	Bensultap		
	0.005		
	Bentazone		
	0.005		
	Benthiavalicarb isopropyl		
	0.005		
	Benzoximate		
	0.005		
	Beta-HCH		
	0.005		
	BHC-alpha		
	0.01		
	BHC-beta		
	0.05		
	BHC-gamma (Lindane, Gamma HCH)		
	0.05		
	BHC- Delta		
	0.01		
	BHT (2,4 di-tert-butyl-4-methyl phenol)		
	0.005		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 45 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Bifenazate	0.005	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Bifenox	0.005	
	Bifenthrin	0.01	
	Biphenyl	0.01	
	Bitertanol	0.005	
	Boscalid	0.005	
	Bromacil	0.005	
	Bromadiolone	0.005	
	Bromfenvinphos	0.01	
	Bromfenvinphos - methyl	0.05	
	Bromophos	0.005	
	Bromophos - Ethyl	0.005	
	Bromophos - Methyl	0.01	
	Bromopropylate	0.005	
	Bromucanazole Isomer 2	0.005	
	Bromucanazole Isomer 1	0.005	
	Bromuconazole	0.005	
	Bupirimate	0.005	
	Buprofezin	0.01	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 46 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Butocarboxim	0.005	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Butocarboxim sulfoxide	0.005	
	Butachlor	0.01	
	Butralin	0.005	
	Buturon	0.005	
	Butylate	0.005	
	Cadusafos	0.005	
	Captafol	0.005	
	Captan	0.005	
	Carbaryl	0.005	
	Carbendazim	0.005	
	Carbofuran	0.005	
	Carbofuran-3-hydroxy	0.005	
	Carbophenothion	0.05	
	Carbosulfan	0.005	
	Carboxine	0.005	
	Carfentrazone-ethyl	0.005	
	Chlorbufam	0.005	
	Chloramphenicol	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 47 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (ppb)		
	Chlorantraniliprole		
	Chlorbenside		
	Chlorbromuron		
	Chlorbufam 1AND Chlorsulfuron		
	Chlordane-cis		
	Chlordane-trans		
	Chlorfenson		
	Chlorfenvinphos I		
	Chlorfenvinphos II		
	Chlorobenzilate		
	Chloridazon		
	Chlorophacinone		
	Chloropicrin		
	Chloroprotham		
	Chlorothalonil		
	Chloroxuron		
	Chlorpyrifos-methyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 48 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (ppb)	
	Chlorthiophos	0.005	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Chlorthiophos II	0.005	
	Chlorthiophos III	0.005	
	Chromafenozide	0.005	
	Cinidon - Ethyl	0.005	
	Cinosulfuron	0.005	
	Cis-1,2,3,6-Tetrahydrophthalimide	0.005	
	Clethodim	0.005	
	Clethodim Isomer 1	0.005	
	Clodinafop propargyl ester	0.005	
	Clofentezine	0.01	
	Clomazone	0.005	
	Cloquintocet-1-mexyl	0.05	
	Cloquintocet-1-mexyl hexyl ester	0.005	
	Clothianidin	0.005	
	Coumaphos	0.005	
	Coumatetralyl	0.05	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 49 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	Cyazofamid		
	Cycloate		
	Cycloheximide		
	Cyflufenamid		
	Cyfluthrin		
	Cyfluthrin III		
	Cyhalothrin (Lambda)		
	Cymoxanil		
	Cypermethrin		
	Cypermethrin II		
	Cypermethrin III		
	Cypermethrin IV		
	Cyproconazole Isomer 1		
	Cyproconazole Isomer 2		
	Cyprodinil		
	Cyprodinil I		
	Cyprodinil II		
	Cyromazine		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 50 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	Dazomet		
	DCPA (Dacthal, Chlorthal-dimethyl)		
	DDD-o,p'		
	DDD-p,p'		
	DDE-o,p'		
	DDE-p,p'		
	DDT-o,p'		
	DDT -p,p'		
	Deltamethrin		
	Demeton-S-methyl		
	Demeton-S-methyl-sulfone		
	Demeton-S-methyl-sulfoxide		
	Desmedipham		
	Diafenthiuron		
	Diallate I		
	Diallate II		
	Diazinon		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 51 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	Dicamba		
	Dichlobenil		
	Dichlofenthion		
	Dichloran		
	Dichlorprop-isomer I		
	Dichlorprop-isomer II		
	Dichloroaniline3,4-		
	Dichlorobenzophenone 4,4'		
	Dichlorvos		
	Diclobenil		
	Dicloran		
	Dicofol o,p'		
	Dicrotophos		
	Dieldrin		
	Diethofencarb		
	Difenoconazole		
	Diflubenzuron		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 52 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Diflufenican	0.005	
	Dimethenamid	0.005	
	Dimethoate	0.005	
	Dimethomorph Isomer 1	0.005	
	Dimethomorph Isomer 2	0.005	
	Dimoxystrobin	0.005	
	Diniconazole	0.005	
	Dinotefuran	0.005	
	Dinoterb	0.005	
	Diphacinone	0.005	
	Diphenylamine	0.01	
	Disulfoton	0.005	
	Disulfoton sulfone	0.005	
	Disulfoton sulfoxide	0.005	
	Diuron	0.005	
	Dodemorph	0.005	
	Dodine	0.005	
	Edifenphos	0.005	
	Emamectin-benzoate b1a	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 53 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Endosulfan I (alpha isomer)		
	Endosulfan II		
	Endosulfan ether		
	Endosulfan sulfate		
	Endrin		
	Endrin aldehyde		
	Endrin ketone		
	EPN		
	Epoxiconazole		
	Ethalfuralin		
	Ethephon		
	Ethiofencarb Sulfoxide		
	Ethion		
	Ethirimol		
	Ethofumesate isomer I		
	Ethofumesate isomer II		
	Ethoprophos		
	Ethoxyquin		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 54 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Ethylan		
	Etofenprox		
	Etoxazole		
	Etridiazole		
	Etrimfos		
	Famoxadone		
	Fenamidone		
	Fenamiphos		
	Fenamiphos - Sulfoxide		
	Fenarimol		
	Fenazaquin		
	Fenbuconazole		
	Fenbutatin oxide		
	Fenchlorphos		
	Fenfuram		
	Fenhexamid		
	Fenitrothion		
	Fenoxaprop		
	Fenoxaprop-P-Ethyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 55 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Fenoxycarb I		
	Fenpropathrin		
	Fenpropathrin I		
	Fenpropathrin II		
	Fenpropidin		
	Fenpropimorph		
	Fenpyroximate		
	Fenson		
	Fensulfothion		
	Fensulfothionoxon		
	Fenthion		
	Fenthion oxon sulfoxide		
	Fenthion-sulfone		
	Fenthion-sulfoxide		
	Fenuron		
	Fenvalerate		
	Fenvalerate I		
	Fenvalerate II		
	Fipronil		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 56 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Fipronil-sulfone	0.01	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Flonicamid	0.005	
	Florasulam	0.005	
	Fluazifop	0.005	
	Fluazifop-P	0.005	
	Fluazifop-p-butyl	0.005	
	Fluazinam	0.005	
	Flucarbazone	0.005	
	Fluchloralin	0.01	
	Flucythrinate I	0.01	
	Flucythrinate II	0.01	
	Fludioxinil I	0.005	
	Fludioxinil II	0.005	
	Flufenoxuron	0.01	
	Fluometuron	0.005	
	Fluopicolide	0.005	
	Fluopyram	0.005	
	Fluquinconazole	0.005	
	Fluridone	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 57 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRS1120, 7890B, 7000D
	Compound		
	Fluroxpyr		
	Fluroxpyr (205)		
	fluroxpyr - meptyl		
	Flusilazole		
	Flutolanil		
	Flutiafol		
	Fluvalinate		
	Folpet		
	Fonofos		
	Foramsulfuron		
	Formothion		
	Fosthiazate		
	Fuberidazole		
	Furalaxyl		
	Furathiocarb		
	Gamma-HCH		
	Halosulfuron methyl		
	Heptachlor		
	Heptachlor epoxide		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 58 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Heptenophos		
	Hexachlorobenzene		
	Hexaconazole		
	Hexazinone		
	Hexythiazox		
	Hymexazol		
	Imazalil		
	Imidacloprid		
	Indoxacarb		
	Iodofenphos		
	Ipconazole Isomer		
	Iprobenfos		
	Iprodione		
	Iprovalicarb Isomer 1		
	Iprovalicarb Isomer 2		
	Isazofos		
	Isofenphos		
	Isodrin		
	Isofenphos-methyl		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 59 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Isofenphos-oxon		
	Isoproc carb		
	Isopropalin		
	Isoprothiolane		
	Isoproturon		
	Kresoxime		
	Kresoxim-methyl		
	Lenacil		
	Leptophos		
	Linuron		
	Lufenuron I		
	Lufenuron II		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 60 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Malaoxon		
	Malathion		
	Mandipropamid		
	MCCP (Mecoprop) isomerI		
	MCCP (Mecoprop) isomerII		
	Mecarbam		
	Mefenpyr diethyl		
	Mepanipyrim		
	Mepronil		
	Mesotrione isomer		
	Metaflumizone		
	Metalaxyl		
	Metaldehyde		
	Metamitron		
	Metazachloro		
	Metconazole		
	Methabenzthiazuron		
	Methacrifos		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 61 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)	
	Methamidophos	0.005	
	Methidathion	0.005	
	Methiocarb	0.05	
	Methiocarb-sulfone	0.005	
	Methiocarb-sulfoxide	0.005	
	Methomyl	0.005	
	Methoxychlor olefin 4, 4'	0.01	
	Methoxychlor, p,p'-	0.05	
	Methoxychloro 2, 4	0.01	
	Methoxyfenozide	0.005	
	Methyle parathion	0.005	
	Methyl-Paraoxon	0.005	
	Metolachlor	0.005	
	Metosulam	0.005	
	Metoxuron	0.005	
	Metrafenone	0.005	
	Metribuzin	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 62 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

	Metsulfuron methyl	0.005		
Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound	LOQ (mg/kg)		
	Mevinphos (phosdrin)	0.005		
	MGK 264 1††	0.05		
	MGK-264 2††	0.01		
	Mirex	0.01		
	Monceren Pencycuron	0.005		
	Monocrotophos	0.005		
	Monolinuron	0.005		
	Monuron	0.005		
	Myclobutanil	0.005		
	N-(2,4-dimethylphenyl) formamide	0.005		
	Napropamide	0.005		
	Neburon	0.005		
	Nicosulfuron	0.005		
	Nitenpyram	0.005		
	Nitralin	0.005		
	Nitrofen	0.01		
	Nonachlor, cis-	0.01		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 63 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Nonachlor, trans-	0.05	
	Norflurazon	0.005	
	Novaluron	0.01	
	Nuarimol	0.005	
	Ofurace	0.005	
	Omethoate	0.005	
	Orthosulfamuron	0.005	
	Oxadiargyl	0.005	
	Oxadiazon	0.01	
	Oxadixyl	0.005	
	Oxamyl	0.005	
	Oxasulfuron	0.005	
	Oxyfluorfen	0.01	
	Oxycarboxin	0.005	
	Oxymatrine	0.005	
	Paclobutrazol	0.01	
	Paraoxon	0.005	
	Paraoxon-methyl	0.05	
	Parathion	0.05	
		Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 64 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Parathion Ethyl	0.005	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Parathion Methyl	0.005	
	Pebulate	0.005	
	Penconazole	0.005	
	Pencycuron	0.005	
	Pendimethalin	0.01	
	Penoxsulam	0.01	
	Pentachloroaniline	0.01	
	Pentachloroanisole	0.01	
	Pentachlorobenzene	0.05	
	Pentachlorobenzonitrile	0.01	
	Pentachlorothioanisole	0.01	
	Peridaly	0.005	
	Permethrin	0.01	
	Permethrin, cis	0.005	
	Permethrin, trans	0.005	
	Permethrine mixed isomers	0.005	
	Phenmedipham	0.005	
	Phenothrin I	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 65 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	Phenothrin II		
	Phenthoate		
	Phorate		
	Phorate Sulfone		
	Phorate Sulfoxide		
	Phosfolan		
	Phosmet		
	Phosphamidon		
	Phoxim		
	Picolinafen		
	Picoxystrobin		
	Pinoxaden		
	Pioxystrobin		
	Piperonyl butoxide		
	Pirimicarb		
	pirimicarb desmethyl		
	Pirimiphos-ethyl		
	Pirimiphos-methyl		
	Praxon		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 66 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Pretilachloro	0.005	
	Primicarb	0.005	
	Prochloraz	0.005	
	Procymidone	0.01	
	Prodiamine	0.01	
	Profenofos	0.005	
	Profluralin	0.01	
	Promecarb	0.005	
	Prometon	4	
	Prometryne	0.005	
	Propachloro	0.005	
	Propagite	0.01	
	Propamocarb	0.005	
	Propanil isomer	0.005	
	Propaquizafop	0.005	
	Propazine	0.005	
	Propazine-2-hydroxy	0.005	
	Propetamphos	0.005	
		Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 67 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Propiconazole		
	Propisochloro		
	Propoxur		
	Propyzamide		
	Proquinazide		
	Prosulfocarb		
	Prothioconazole		
	Prothiofos		
	Pymetrozine		
	Pyraclafos		
	Pyraclostrobin		
	Pyraflufen ethyl		
	Pyrazophos		
	Pyrazosulfuron-ethyl		
	Pyrethrins		
	Pyridaben		
	Pyridalyl		
	Pyridaphenthion		
	Pyrifeno		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 68 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Pyrimethanil		
	Pyriproxyfen		
	Pyroxsulam		
	Quinalphos		
	Quinclorac		
	Quinmerac		
	Quinoxifen		
	Quitozene		
	Quizalofop ethyl		
	Resmethrin		
	Ronnel (Fenchlorphos)		
	Sebuthylazine		
	Sebuthylazine 2		
	Secbumeton		
	Sethoxydim		
	Simazine		
	Simetryn		
	S-Metolachloro		
	Spencycuron		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 69 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Spinetoram		
	0.005		
	Spinosad A I		
	0.005		
	Spinosad A II		
	0.005		
	Spinosad D		
	0.005		
	Spirodiclofen		
	0.01		
	Spiromesifen		
	0.005		
	Spirotetramat		
	0.005		
	Spirotetramat-enol I		
	0.005		
	Spirotetramat-enol II		
	0.005		
	Sulcotrione		
	0.005		
	Sulfamethazine		
	0.005		
	Sulfathiazole		
	0.005		
	Sulfotep		
	0.005		
	Sulfoxaflo		
	0.005		
	Sulfoxaflo 2		
	0.005		
	Sulprofos		
	0.01		
	Tebuconazole		
	0.005		
	Tebufozide		
	0.005		
	Tebufozpyrad		
	0.01		
	Tebuhiuron		
	0.005		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 70 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues	Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Compound		
	LOQ (mg/kg)		
	Tecnazene		
	Teflubenzuron		
	Tefluthrin		
	Tepraloxymid		
	Tecnazene		
	Terbacil		
	Terbufos		
	Terbufos-sulfone		
	Terbufos-sulfoxide		
	Terbumeton		
	Terbuthylazine		
	Terbutryn		
	Tetrachlorvinphos isomer		
	Tetrachloroaniline 2,3,5,6		
	Tetraconazole		
	Tetradifon		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 71 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Tetramethrin	0.005	Food Anal. Methods (2018) 11:1122-1148 UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D
	Tetramethrin I	0.005	
	Thiabendazole	0.005	
	Thiacloprid	0.005	
	Thiamethoxam	0.005	
	Thiencarbazone-methyl	0.01	
	Thifensulfuron-methyl	0.005	
	Thiobencarb	0.005	
	Thiocyclam Hydrogen Oxalate Asthiocyclam	0.01	
	Thiodicarb	0.005	
	Thiofanox	0.005	
	Thiometon	0.005	
	Thiophanate-methyl	0.005	
	Tolclofos methyl	0.01	
	Tolfenpyrad	0.01	
	Tolylfluanid	0.005	
	Tralkoxydim	0.005	
	Triadimefon	0.005	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 72 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Milk and Milk Product	Determination of Pesticide Residues		
	Compound	LOQ (mg/kg)	
	Triadimenol	0.005	
	Tri-allate	0.01	
	Triasulfuron	0.005	
	Triazofos	0.005	
	Triazoxid	0.005	
	Tribenuron - Methyl	0.005	
	Trichlorfon isomer	0.005	
	Tricyclazole	0.005	
	Trietazine	0.005	
	Trifloxystrobin	0.005	
	Triflumizole	0.005	
	Triflumuron	0.005	
	Trifluralin	0.01	
	Triflusulfuron-methyl	0.005	
	Triforine	0.005	
	Triticonazole	0.005	
	Vamidothion and Zoxamide	0.005	
	Vinclozolin	0.01	
	Zoxamide isomer		
		Food Anal. Methods (2018) 11:1122-1148	UPLC-MS/MS Model: Qtrap6500+ S.N: DY252171903 GC/MS/MS S.N.: 483622, 491235, US19303013 Model: PALRSI120, 7890B, 7000D

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4W14TCL

1 / Dec 2018

Page 73 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Polar Pesticides Food	Compound	LOQ (ppb)	EURL-SRM (Quppe-po-method) 2022	UPLC/Sciex Model: QTRAP 6500+ S.N: DY252171903
	AMPA	10		
	Chlorate	8		
	Chlormequate	4		
	Ethephon	10		
	Glufosinate	10		
	Glyphosate	10		
	Mebiquate	4		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 74 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements (%)	Standard Specifications / Techniques Used	
Food	Determination of nitrogen and protein in food and feed products	- ISO 1871:2009 - E.S 4049/2014 - operating manual of velp	kjeldahl /Gerhardt Model: VAPODEST (VAP50) S.N:Vapoo2618 Balance Model: voyager S.N: go811121051295
	Determination of acid value and acidity in fats ,oils and extracted oils	-ISO 660/2020 -E.S 51-3/2021	Balance Model: voyager S.N: go811121051295
Plastics (contact with foodstuffs)	Determination of the overall migration	EN 1186-9:2002	Incubator Model: voyager / V14130 S.N: Go811121051295 Dry oven Model :J.P Selecta /2005161 S.N: 601738
Food	Determination of Iodine value of animal and vegetable fats and oils	ES 51- 4/2021 ISO 3961/2018 AOAC993.20	Balance Model: voyager S.N: go811121051295

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 75 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠ / ٥ / ٦ / ٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Soap	Determination of free acidity in soap	E.S 1140 : 2014	Electronic digital balance S.N: G0811121051295 Model : V14130
	Determination of free alkali active ingredient as soluble matter in soap	E.S 1140 : 2014	Electronic digital balance S.N: G0811121051295 Model : V14130
	Determination of insoluble matter in alcohol in soap	E.S 1140 : 2014	Electronic digital balance S.N: G0811121051295 Model : V14130 Dry oven Model : 2005/61 S.N: 601738

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 76 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Soap	Determination of total fatty matter	ES 1140:2014 ES 1045:1970	Water bath Model: Memert, S.N: 1498.0204 Balance Model: Voyager, S.N: G0811121051295 Oven Model: J.P Selecta, S.N: 601738
	Determination of moisture and volatile Matter	ES 1140:2014	Balance Model: Voyager, S.N: G0811121051295 Oven Model: J.P Selecta, S.N: 601738
Synthetic detergent liquid	Determination of total active matter in liquid synthetic detergent	E.S 4158: 2019	Electronic digital balance Model : V14130 S.N: G0811121051295 Dry oven Model : 2005/61 S.N: 601738

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 77 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Synthetic detergent powder	Determination of insoluble matter in water in synthetic detergent powder	E.S :4900/2018	Electronic digital balance Model : V14130 S.N: G0811121051295 Dry oven Model : 2005/61 S.N: 601738
Synthetic detergent powder	Determination of pH in Synthetic detergent powder	DKS2292:2011 Annex E	PH meter Model :OAKTON S.N:180189
	Determination of Total active matter in synthetic detergents powder	E.S 4900/2018	Electronic digital balance Model : V14130 S.N: G0811121051295 Dry oven Model : 2005/61 S.N: 601738

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 78 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Synthetic detergent powder	Determination of moisture and volatile matter content in synthetic detergent powder	DKS 2292:2011 Annex C	Electronic digital balance Model : V14130 S.N: G0811121051295 Dry oven Model : 2005/61 S.N: 601738

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Polymeric Materials and Products	Determination of molecular finger print	IR Manual instrument [Bruker]	FTIR [Bruker] Model: Vertex 70 . S.N.: 1905
	Identification of material identity by determination of: - Melting point - Glass transition temperature - Enthalpy - Thermal stability	Manual of differential scanning calorimetry, DSC; [Mettler Toledo]. Manual of thermal gravimetric analysis [TGA], Mettler Toledo	Differential Scanning Calorimetry [Mettler Toledo] Model: DSC 3 Star S.N.: C123925171 Thermogravimetric Analysis [Mettler Toledo] Model: TGA 2-1153 S.N.: C123925179
	Characterization of polymer status (Recycled/Virgin) using thermal analysis and FTIR.	IR Manual instrument [Bruker]. Manual of differential scanning calorimetry, DSC; [Mettler Toledo]. Manual of thermal gravimetric analysis, TGA; [Mettler Toledo].	FTIR [Bruker] Model: Vertex 70 S.N.: 1905 Differential Scanning Calorimetry [Mettler Toledo] Model: DSC 3 Star, TGA 2-1153 S.N.: C123925171, C123925179

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 80 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured	Standard Specifications / Techniques Used	
Fire extinguishing powder	Determination of bulk density	ES 4833: 2014	Electronic digital balance Model : V14130 S.N: G0811121051295 Glass cylinder Code: EXP-06/02/2023-01
	Measuring of moisture content	ES 4833: 2014	Electronic digital balance Model : V14130 S.N: G0811121051295
	Detection for water repellency	ES 4833: 2014	Automatic Pipette Model :Eppendorf Xplorer S.N. : 424823A
	Detection for resistance to Caking and lumping	ES 4833 :2014	Dry oven, Model : 2005/61 S.N: 601738 Mechanical Sieve S.N.: 40

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 81 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Textile & Leather/footware	Determination of certain aromatic amines derived from azo colorants	ISO 14362-1&3:2017	Gas Chromatography GC- MSMS Model: Agilent S.N: US2141A041 Balance: Model: Science tech SA210, S.N: 18871 Ultrasonic waterbath: Cole-Parmer 8892, SN. QPCO4122643G Water bath: Model: thermoscientific 4304, S.N 118079-54 Detector: Model: Series 200, S.N: 293N4081805 & Detector: Model series 200, S.N: 262G4072605-Rev A High Performance Liquid Chromatography Model: 1260 Infinity, Detector: 6420 Triple Quad Pump: Model: G1311C, S.N: DEAB804696 Auto sampler: Model: G1329B, S.N.: DEAAC10791 Detector: Model: G6420A, S.N: US11497010

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 82 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Textile & Leather/footware	Detection of dyes (methanol extraction)	DIN 54231:2022 for textile	High Performance Liquid Chromatography Model: Series 200, S.N: 293N4081805, Detector : Model series 200, S.N.: 262G4072605-Rev A High Performance Liquid Chromatography Model: 1260 Infinity, Decteor: 6420 Triple Quad Pump: Model: G1311C, S.N: DEAB804696 Auto sampler: Model: G1329B, S.N: DEAAC10791 Detector: Model: G6420A, S.N: US11497010 Oven: Model: G1316A, SN: DEACN12011 Balance: Model: Science tech SA210, S.N.: 18871 Ultrasonic waterbath: Model: Cole-Parmer 8892, S.N:QPCO4122643G

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 83 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements				Standard Specifications / Techniques Used	
Textile	Determination of Trace element in Textile				ISO 105-E04:2013	ICP MS Triple Quad (Agilent) S.N: SG19401298 Model: G3665A
	Elment	LOQ mg/kg	Elment	LOQ mg/kg		
	Pb	0.15	Cr	0.66		
	Ni	0.1	Co	0.1		
	Cd	0.01	Cu	0.15		
	Sb	0.24	Hg	0.004		
	As	0.1	Ba	0.5		
	Se	0.1	Zn	0.1		
Leather	Determination of Trace element in Leather				ISO 17072-1:2019	
	Elment	LOQ mg/L	Elment	LOQ mg/L		
	Pb	0.15	Cd	0.01		
	Ni	0.1	Sb	0.24		
	As	0.1	Cr	0.66		
	Hg	0.004	Co	0.1		
	Se	0.1	Cu	0.15		
	Zn	0.1	Ba	0.5		
Leather	Determination of formaldehyde in Leather		LOQ: 10 mg/kg		ISO 17226-2:2018	UV-VIS spectroscopy (Specord 250 plus) 223G1060F
Textile	Determination of formaldehyde in Textile		LOQ: 16 mg/kg		ISO 14184-1:2011 rev 2022	
Natural Leather	Determination of Chromium (VI)		LOQ: 3 mg/kg		ISO 17075-1:2017	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 84 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Chemical Analysis in Industrial goods				
Textile & Leather /Footware Determination of Phthalate	Compounds	LOQ (ppm)	ISO/TS 16181:2021 for Footware ISO 14389:2022 for textile	GC- MSMS Model: Agilent SN: US2141A041
	Di-iso-nonyphthalate	5		
	Di-n-octylphthalate	5		
	Di-(2-ethylhexyl)- phthalate	5		
	Di-iso-decylphthalate	5		
	Butylbenzylphthalate	5		
	Dibutylphthalate	5		
	Di-isobutylphthalate	5		
	Bis(2-methoxyethyl)phthalate	5		
	Di-n-pentyl phthalate	5		
	Di-n-hexyl phthalate	5		
	Diethylphthalate	5		
	Dimethylphthalate	5		
	Di-n-propyl phthalate	5		
	Diisooctylphthalate	5		

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 85 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used
Food	Enumeration of microorganisms colony count at 30 °C	ISO 4833-1 : 2013 AMD:2022
	Enumeration of coliforms (Horizontal method)	ISO 4832 : 2006
	Enumeration of coagulase-positive <i>Staphylococci</i> (<i>Staphylococcus aureus</i>)	ISO 6888-1:2021
	enumeration of <i>Enterobacteriaceae</i>	ISO 21528-2: 2017
	Detection of <i>Salmonella</i> spp	ISO 6579-1:2017 AMD: 2020
	Enumeration of yeasts and moulds	ISO 21527-1: 2008 ISO 21527-2: 2008
	Enumeration of <i>Clostridium perfringens</i>	ISO 7937: 2004
	Detection of <i>Shigella</i> spp (Horizontal method)	ISO 21567: 2004
	Detection of <i>listeria monocytogens</i> & <i>listeria sp</i>	ISO 11290-1: 2017
	Enumeration of β -glucuronidase-positive <i>Escherichia coli</i> at 44 °C	ISO 16649-2: 2001
	Enumeration of presumptive <i>Bacillus cereus</i> at 30 °C	ISO 7932 :2004
	Detection of <i>Campylobacter</i> spp.	ISO 10272-1: 2017
	Determination of <i>Enterococcus</i>	NMKL 68 : 2011
	Enumeration of contaminating microorganisms at 30°C for Butter,fermenting milk and fresh cheese	ISO 13559 :2002
	Enumeration of Thermotolerant Coliform & <i>E.coli</i>	NMKL 125:2005
	Enumeration of sulfite-reducing <i>Clostridium</i> spp.	ISO 15213-1:2023
	Detection of <i>Coronobacter</i> spp.	ISO 22964:2017
	Detection of <i>L. monocytogenes</i> .	ISO 20837:2006- ISO 20838:2006

Balance
Model: EP 612C, S.N:H2961122383256P
Balance S.N: 18252
PH Meter S.N: 181089/0219
Hot Air Oven
Model 100/800, S.N: 9603/0730
Incubator
Model 1-561-D, S.N: 0100203
Model 1-5611-D, S.N: 0801098
Model E703-0063, S.N: E703-0063
Model 399200-15, S.N: 100502
CO₂ Incubator
S.N: 53778
Autoclave
Model V95, S.N: 0567&0 490
Model barnstead, SN: 17109
Colony Counter
S.N: 5879
Stomacher
S.N: 40548

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 86 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (0): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Food	Detection of Salmonella Spp.	ISO 20837:2006 ISO 20838:2006	PCR Model Aria Mx S.N MY18045239 High Speed Centerfuge Model 1730R S.N KGZ2t23517120414
	Detection of Campylobacter Spp.	ISO 20837:2006 ISO 20838:2006	
	Detection of E.coli 0157.	ISO 20837:2006 ISO 20838:2006	
	Detection of Vibro Spp.	ISO 21872: 2017 AMD:2023	
	Detection of Pork fat	Kit	
Enviromental swab	Enumeration of <i>Enterobacteriaceae</i>	ISO 21528-2: 2017	Membrane Filter Technique Incubator: Model: labnet, SN: 0801098 Filtration apparatus Code no.: 59/M S.N:TITL822 Millipore system Code no.:33/M S.N: F3KN03813A Balance Model: EP 612C, S.N:H2961122383256P Balance S.N: 18252
	Enumeration of microorganisms colony count at 30 °C	ISO 4833-1 : 2013 AMD:2022	
	Enumeration of β -glucuronidase-positive <i>Escherichia coli</i> at 44 °C	ISO 16649-2: 2001	
water	Detection and enumeration of intestinal <i>Enterococci</i> (membrane filtration)	ISO 7899-2:2000	
	Enumeration of culturable microorganisms	ISO 6222:1999	
	Enumeration of <i>Pseudomonas aeruginosa</i> (membrane filtration)	ISO 16266:2006	
	Enumeration of <i>legionella</i>	ISO 11731-2017	
	Enumeration of <i>C. perfringens</i> method using membrane filtration	ISO 14189:2013	
	Enumeration of <i>E. coli</i> & coliform bacteria method using membrane filtration	ISO 9308-1:2014/Amd 1:2016	

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 87 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Chemical and Food Testing Laboratories
Central Directorate for Chemical and Foodstuffs Testing Laboratories
General Organization for Export and Import Control (GOEIC)
Cairo AirPort Branch
Cargo Village - Cairo Airport
Cairo Governorate – Egypt

Schedule No.:020409/1 B 1st Accreditation Date: October 24, 2019 Issue No. (03): October 24, 2023 Revision No. (): Valid to: October 23, 2027

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Water	Detection and enumeration of intestinal <i>Enterococci</i> (membrane filtration)	ISO 7899-2:2000	PH Meter S.N: 181089/0219 Hot Air Oven Model 100/800, S.N: 9603/0730 Incubator Model 1-561-D, S.N: 0100203 Model 1-5611-D, S.N: 0801098 Model E703-0063, S.N: E703-0063 Model 399200-15, S.N: 100502 CO₂ Incubator S.N: 53778 Autoclave Model V95, S.N: 0567&0 490 Model barnstead, SN: 17109 Colony Counter S.N: 5879 Stomacher S.N: 40548 PCR Model Aria Mx, S.N MY18045239 High Speed Centerfuge Model 1730R S.N .: KGZ2t23517120414

Kornish El-Maadi, Riad El-Maadi Tower 1 -
Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 88 of 88



كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)