

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements	Standard Specifications / Techniques Used	
Cereals	Determination of moisture	ES: 1866-2: 2006	Oven Gallenkamp: S.N.: OVB 3050/012 Blance Model: HR-300 S.N.: 13200858
Cereals	Determination of ash	ISO 2171:2007 ES 7378: 2011	Muffle : S.N.: 750941229481 Blance Model: HR-300 S.N.: 13200858
Meat	Detemiantion of Total Volatile Nitrogen	ES 63-9/2006	Heating unit. Electrothermal S.N.: 6B8654



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 1 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	
Fruit and vegetables	II,III,V,VI-Tetrachloroaniline	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	II,IV'-Methoxychlor	0.005 ppm		
	IV,IV'-Methoxychlor olefin	0.005 ppm		
	Acetochlor	0.005 ppm		
	Acrinathrin	0.005 ppm		
	Aldrin	0.005 ppm		
	Allidochlor	0.005 ppm		
	Alpha-HCH	0.005 ppm		
	Anilofos	0.005 ppm		
	Atrazine	0.005 ppm		
	Atrazine-desethyl	0.005 ppm		
	Bentazon	0.005 ppm		
	Benthiavalicarb-Isopropyl	0.005 ppm		
	BHC-alpha (benzene hexachloride)	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 2 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Bifenazate	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Bifenthrin	0.005 ppm		
	Biphenyl	0.005 ppm		
	Bromfenvinphos	0.005 ppm		
	Bromfenvinphos-methyl	0.005 ppm		
	Bromuconazole	0.005 ppm		
	Bupirimate	0.005 ppm		
	Butralin	0.005 ppm		
	Butylate (Sutan)	0.005 ppm		
	Carbetamide	0.005 ppm		
	Carboxin	0.005 ppm		
	Chinomethionat	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 3 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Chlorbufam	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Chlordane	0.005 ppm		
	Chlordane alpha-cis	0.005 ppm		
	Chlordane gamma-trans	0.005 ppm		
	Chlorfenson	0.005 ppm		
	Chlorfenvinphos	0.005 ppm		
	Chloridazon	0.005 ppm		
	Chlormephos	0.005 ppm		
	Chlorotoluron	0.005 ppm		
	Chlorpropham	0.005 ppm		
	Chlorpyrifos-ethyl	0.005 ppm		
	Clomazone	0.005 ppm		
	Clothianidin	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 4 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Coumaphos	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Cyanophos	0.005 ppm		
	Cycloate	0.005 ppm		
	Cycluron	0.005 ppm		
	Cyflufenamid	0.005 ppm		
	Cymiazole	0.005 ppm		
	Cypermethrin	0.005 ppm		
	Cypermethrin	0.005 ppm		
	Cyproconazole	0.005 ppm		
	Cyprodinil	0.005 ppm		
	Dazomet	0.005 ppm		
	DDD p,p	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 5 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurement	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	DDD, o, p	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	DDE o,p	0.005 ppm		
	DDE p, p	0.005 ppm		
	DDT o,p	0.005 ppm		
	DDT p,p	0.005 ppm		
	Demeton-S-methyl	0.005 ppm		
	Diallate-cis	0.005 ppm		
	Diallate-trans	0.005 ppm		
	Dichlorobenzophenone, IV, IV	0.005 ppm		
	Dichlorprop methyl ester	0.005 ppm		
	Dicofol	0.005 ppm		
	Dieldrin	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 6 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Difenoconazole	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Difenoconazole	0.005 ppm		
	Difenoconazole	0.005 ppm		
	Diflubenzuron	0.005 ppm		
	Diufenican	0.005 ppm		
	Dimethenamid	0.005 ppm		
	Dimethoate	0.005 ppm		
	Dimethomorph	0.005 ppm		
	Dimethomorph	0.005 ppm		
	Diniconazole	0.005 ppm		
	Dioxacarb	0.005 ppm		
	Diphacinone	0.005 ppm		
	Diphenamid	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 7 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Diphenylamine	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Disulfoton sulfone	0.005 ppm		
	Disulfoton sulfoxide	0.005 ppm		
	Diuron	0.005 ppm		
	Dodemorph	0.005 ppm		
	Dodemorph	0.005 ppm		
	Endosulfan sulfate	0.005 ppm		
	Endrin	0.005 ppm		
	Endrin Aldehyde	0.005 ppm		
	EPN	0.005 ppm		
	Esfenvalerate	0.005 ppm		
	Ethoprop (Ethoprophos)	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 8 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Etofenprox	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Etoazole	0.005 ppm		
	Etrimfos	0.005 ppm		
	Fenamiphos	0.005 ppm		
	Fenamiphos - sulfoxide	0.005 ppm		
	Fenazaquin	0.005 ppm		
	Fenbuconazol	0.005 ppm		
	Fenoxaprop	0.005 ppm		
	Fenoxaprop-ethyl	0.005 ppm		
	Fenoxycarb	0.005 ppm		
	Fenpropathrin	0.005 ppm		
	Fenpyroximate	0.005 ppm		
	Fensulfothion-oxon	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 9 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Fenthion sulfoxide	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Fenthion-oxon	0.005 ppm		
	Fenthion-oxon-sulfoxide	0.005 ppm		
	Fenthion-sulfone	0.005 ppm		
	Fipronil sulfone	0.005 ppm		
	Flamprop	0.005 ppm		
	Flonicamid	0.005 ppm		
	Fluazifop	0.005 ppm		
	Fluazifop-P	0.005 ppm		
	Fluazifop-P-butyl	0.005 ppm		
	Flucarbazone-sodium	0.005 ppm		
	Flucythrinate	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 10 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Flucythrinate	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Flufenacet	0.005 ppm		
	Flufenoxuron	0.005 ppm		
	Flumetsulam	0.005 ppm		
	Fluometuron	0.005 ppm		
	Fluometuron II	0.005 ppm		
	Fluopyram	0.005 ppm		
	Fluoxastrobin	0.005 ppm		
	Fluquinconazole	0.005 ppm		
	Fluridone	0.005 ppm		
	Fluroxypyr	0.005 ppm		
	Flusilazole	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 11 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Flutriafol	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Fonofos	0.005 ppm		
	Fosthiazate	0.005 ppm		
	Heptachlor	0.005 ppm		
	Heptachlor epoxide	0.005 ppm		
	Hexazinone	0.005 ppm		
	Imazalil	0.005 ppm		
	Imidacloprid	0.005 ppm		
	Indoxacarb	0.005 ppm		
	Ipconazole	0.005 ppm		
	Isazofos I	0.005 ppm		
	Isazofos II	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 12 of 40

كورنيش المعادي – برج رياض المعادي ١ - القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Isofenfos oxon	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Isofenphos-methyl	0.005 ppm		
	Isoprocarb	0.005 ppm		
	Isoprothiolane	0.005 ppm		
	Isoproturon	0.005 ppm		
	Leptophos	0.005 ppm		
	Lufenuron	0.005 ppm		
	Malaoxon	0.005 ppm		
	Malathion	0.005 ppm		
	Mepanipyrim	0.005 ppm		
	Mepronil	0.005 ppm		
	Metaflumizone	0.005 ppm		
	Metalaxyl	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 13 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Metalaxyl-M	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Metconazole	0.005 ppm		
	Methiocarb	0.005 ppm		
	Methiocarb-sulfone	0.005 ppm		
	Methoxychlor	0.005 ppm		
	Methoxychlor A	0.005 ppm		
	Methoxyfenozide	0.005 ppm		
	Metolachlor	0.005 ppm		
	Metrafenone	0.005 ppm		
	Metsulfuron-Methyl	0.005 ppm		
	Mexacarbate	0.005 ppm		
	Mirex	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 14 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Myclobutanil	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Napropamide	0.005 ppm		
	Neburon	0.005 ppm		
	Nicosulfuron III	0.005 ppm		
	Nitralin	0.005 ppm		
	Nitrofen	0.005 ppm		
	Nonachlor-cis	0.005 ppm		
	Norflurazon	0.005 ppm		
	Novaluron	0.005 ppm		
	Nuarimol	0.005 ppm		
	Omethoate	0.005 ppm		
	Ortho-phenylphenol	0.005 ppm		
	Oxamyl	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 15 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Paclobutrazol	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Parathion (ethyl)	0.005 ppm		
	Pendimethalin	0.005 ppm		
	Penflufen	0.005 ppm		
	Penoxsulam	0.005 ppm		
	Pentachloroaniline	0.005 ppm		
	Pentachloroanisole	0.005 ppm		
	Pentachlorobenzene	0.005 ppm		
	Pentachlorobenzonitrile	0.005 ppm		
	Phosalone	0.005 ppm		
	Phosfolan	0.005 ppm		
	Picolinafen	0.005 ppm		
	Pinoxaden	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 16 of 40

كورنيش المعادي – برج رياض المعادي ١ - القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Pirimicarb desmethyl	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Pirimicarb-p-desmetyl	0.005 ppm		
	Pirimiphos-methyl	0.005 ppm		
	Pretilachlor	0.005 ppm		
	Prochloraz	0.005 ppm		
	Profenofos	0.005 ppm		
	Prometon	0.005 ppm		
	Propazine	0.005 ppm		
	Propetamphos	0.005 ppm		
	Propiconazol	0.005 ppm		
	Propiconazole	0.005 ppm		
	Propiconazole	0.005 ppm		
	Propisochlor	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 17 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Proquinazid	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Prosulfocarb	0.005 ppm		
	Pyraclostrobin	0.005 ppm		
	Pyrazosulfuron-ethyl	0.005 ppm		
	Pyridalyl	0.005 ppm		
	Pyridaphenthion	0.005 ppm		
	Pyriproxyfen	0.005 ppm		
	Quinoxifen	0.005 ppm		
	Quintozone	0.005 ppm		
	Sebuthylazin	0.005 ppm		
	Sebuthylazine-desethyl	0.005 ppm		
	Secbumeton	0.005 ppm		
	Simetryn	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 18 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	Materials Products Tested
Fruit and vegetables	Spirotetramat	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Spiroxamine	0.005 ppm		
	Spiroxamine	0.005 ppm		
	Spiroxamine	0.005 ppm		
	Sulfotep	0.005 ppm		
	Sulprofos	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		
	Tebuconazole	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 19 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Fruit and vegetables	Tetradifon	0.005 ppm	EN 15662: 2018	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Thiamethoxam	0.005 ppm		
	Thiencarbazone-methyl	0.005 ppm		
	Thifensulfuron-methyl	0.005 ppm		
	Thiobencarb	0.005 ppm		
	Thiofanox	0.005 ppm		
	Thiophanate-methyl	0.005 ppm		
	Tolclofos-methyl	0.005 ppm		
	Tralkoxydim	0.005 ppm		
	Transfluthrin	0.005 ppm		
	Triadimefon	0.005 ppm		
	Triadimenol	0.005 ppm		
	Triasulfuron	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 20 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Fruit and vegetables	Triazophos	0.005 ppm	EN 15662: 2018	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Tribenuron-methyl	0.005 ppm		
	Trichlorfon	0.005 ppm		
	Tricyclazole	0.005 ppm		
	Trietazine	0.005 ppm		
	Triflumuron	0.005 ppm		
	Triflurosulfuron-methyl	0.005 ppm		
	Triticonazole	0.005 ppm		
	Vamidotion	0.005 ppm		
	Zoxamide	0.005 ppm		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 21 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	II,III,V,VI-Tetrachloroaniline	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	II,IV'-Methoxychlor	0.010PPM		
	IV,IV'-Methoxychlor olefin	0.010PPM		
	Acetochlor	0.010PPM		
	Acrinathrin	0.010PPM		
	Aldrin	0.010PPM		
	Allidochlor	0.010PPM		
	Alpha-HCH	0.010PPM		
	Anilofos	0.010PPM		
	Atrazine	0.010PPM		
	Atrazine-desethyl	0.010PPM		
	Bentazon	0.010PPM		
	Benthiavalicarb-Isopropyl	0.010PPM		
	BHC-alpha (benzene hexachloride)	0.010PPM		
	Bifenazate	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 22 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Bifenthrin	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Biphenyl	0.010PPM		
	Bromfenvinphos	0.010PPM		
	Bromfenvinphos-methyl	0.010PPM		
	Bromuconazole	0.010PPM		
	Bupirimate	0.010PPM		
	Butralin	0.010PPM		
	Butylate (Sutan)	0.010PPM		
	Carbetamide	0.010PPM		
	Carboxin	0.010PPM		
	Chinomethionat	0.010PPM		
	Chlorbufam	0.010PPM		
	Chlordane	0.010PPM		
	Chlordane alpha-cis	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 23 of 40

كورنيش المعادي – برج رياض المعادي ١ - القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Chlordane gamma-trans	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Chlorfenson	0.010PPM		
	Chlorfenvinphos	0.010PPM		
	Chloridazon	0.010PPM		
	Chlormephos	0.010PPM		
	Chlorotoluron	0.010PPM		
	Chlorpropham	0.010PPM		
	Chlorpyrifos-ethyl	0.010PPM		
	Clomazone	0.010PPM		
	Clothianidin	0.010PPM		
	Coumaphos	0.010PPM		
	Cyanophos	0.010PPM		
	Cycloate	0.010PPM		
	Cycluron	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 24 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Cyflufenamid	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Cymiazole	0.010PPM		
	Cypermethrin	0.010PPM		
	Cypermethrin	0.010PPM		
	Cyproconazole	0.010PPM		
	Cyprodinil	0.010PPM		
	Dazomet	0.010PPM		
	DDD p,p	0.010PPM		
	DDD, o, p	0.010PPM		
	DDE o,p	0.010PPM		
	DDE p, p	0.010PPM		
	DDT o,p	0.010PPM		
	DDT p,p	0.010PPM		
	Demeton-S-methyl	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 25 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	
Food of animal origin	Diallate-cis	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Diallate-trans	0.010PPM		
	Dichlorobenzophenone, IV, IV	0.010PPM		
	Dichlorprop methyl ester	0.010PPM		
	Dicofol	0.010PPM		
	Dieldrin	0.010PPM		
	Difenoconazole	0.010PPM		
	Difenoconazole	0.010PPM		
	Difenoconazole	0.010PPM		
	Diflubenzuron	0.010PPM		
	Diflufenican	0.010PPM		
	Dimethenamid	0.010PPM		
	Dimethoate	0.010PPM		
	Dimethomorph	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 26 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Dimethomorph	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Diniconazole	0.010PPM		
	Dioxacarb	0.010PPM		
	Diphacinone	0.010PPM		
	Diphenamid	0.010PPM		
	Diphenylamine	0.010PPM		
	Disulfoton sulfone	0.010PPM		
	Disulfoton sulfoxide	0.010PPM		
	Diuron	0.010PPM		
	Dodemorph	0.010PPM		
	Dodemorph	0.010PPM		
	Endosulfan sulfate	0.010PPM		
	Endrin	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 27 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Endrin Aldehyde	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	EPN	0.010PPM		
	Esfenvalerate	0.010PPM		
	Ethoprop (Ethoprophos)	0.010PPM		
	Etofenprox	0.010PPM		
	Etoazole	0.010PPM		
	Etrimfos	0.010PPM		
	Fenamiphos	0.010PPM		
	Fenamiphos - sulfoxide	0.010PPM		
	Fenazaquin	0.010PPM		
	Fenbuconazol	0.010PPM		
	Fenoxaprop	0.010PPM		
	Fenoxaprop-ethyl	0.010PPM		
	Fenoxycarb	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 28 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	
Food of animal origin	Fenpropathrin	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Fenpyroximate	0.010PPM		
	Fensulfothion-oxon	0.010PPM		
	Fenthion sulfoxide	0.010PPM		
	Fenthion-oxon	0.010PPM		
	Fenthion-oxon-sulfoxide	0.010PPM		
	Fenthion-sulfone	0.010PPM		
	Fipronil sulfone	0.010PPM		
	Flamprop	0.010PPM		
	Flonicamid	0.010PPM		
	Fluazifop	0.010PPM		
	Fluazifop-P	0.010PPM		
	Fluazifop-P-butyl	0.010PPM		
	Flucarbazone-sodium	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 29 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Flucythrinate	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Flucythrinate	0.010PPM		
	Flufenacet	0.010PPM		
	Flufenoxuron	0.010PPM		
	Flumetsulam	0.010PPM		
	Fluometuron	0.010PPM		
	Fluometuron II	0.010PPM		
	Fluopyram	0.010PPM		
	Fluoxastrobin	0.010PPM		
	Fluquinconazole	0.010PPM		
	Fluridone	0.010PPM		
	Fluroxypyr	0.010PPM		
	Flusilazole	0.010PPM		
	Flutriafol	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 30 of 40

كورنيش المعادي – برج رياض المعادي ١ - القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Fonofos	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Fosthiazate	0.010PPM		
	Heptachlor	0.010PPM		
	Heptachlor epoxide	0.010PPM		
	Hexazinone	0.010PPM		
	Imazalil	0.010PPM		
	Imidacloprid	0.010PPM		
	Indoxacarb	0.010PPM		
	Ipconazole	0.010PPM		
	Isazofos I	0.010PPM		
	Isazofos II	0.010PPM		
	Isofenfos oxon	0.010PPM		
	Isofenphos-methyl	0.010PPM		
	Isoprocab	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 31 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Isoprothiolane	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Isoproturon	0.010PPM		
	Leptophos	0.010PPM		
	Lufenuron	0.010PPM		
	Malaoxon	0.010PPM		
	Malathion	0.010PPM		
	Mepanipyrim	0.010PPM		
	Mepronil	0.010PPM		
	Metaflumizone	0.010PPM		
	Metalaxyl	0.010PPM		
	Metalaxyl-M	0.010PPM		
	Metconazole	0.010PPM		
	Methiocarb	0.010PPM		
	Methiocarb-sulfone	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 32 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	
Food of animal origin	Methoxychlor	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Methoxychlor A	0.010PPM		
	Methoxyfenozide	0.010PPM		
	Metolachlor	0.010PPM		
	Metrafenone	0.010PPM		
	Metsulfuron-Methyl	0.010PPM		
	Mexacarbate	0.010PPM		
	Mirex	0.010PPM		
	Myclobutanil	0.010PPM		
	Napropamide	0.010PPM		
	Neburon	0.010PPM		
	Nicosulfuron III	0.010PPM		
	Nitralin	0.010PPM		
	Nitrofen	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 33 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Nonachlor-cis	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Norflurazon	0.010PPM		
	Novaluron	0.010PPM		
	Nuarimol	0.010PPM		
	Omethoate	0.010PPM		
	Ortho-phenylphenol	0.010PPM		
	Oxamyl	0.010PPM		
	Paclobutrazol	0.010PPM		
	Parathion (ethyl)	0.010PPM		
	Pendimethalin	0.010PPM		
	Penflufen	0.010PPM		
	Penoxsulam	0.010PPM		
	Pentachloroaniline	0.010PPM		
	Pentachloroanisole	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 34 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Pentachlorobenzene	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Pentachlorobenzonitrile	0.010PPM		
	Phosalone	0.010PPM		
	Phosfolan	0.010PPM		
	Picolinafen	0.010PPM		
	Pinoxaden	0.010PPM		
	Pirimicarb desmethyl	0.010PPM		
	Pirimicarb-p-desmethyl	0.010PPM		
	Pirimiphos-methyl	0.010PPM		
	Pretilachlor	0.010PPM		
	Prochloraz	0.010PPM		
	Profenofos	0.010PPM		
	Prometon	0.010PPM		
	Propazine	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 35 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements (%)	LOQ PPM	Standard Specifications / Techniques Used	
Food of animal origin	Propetamphos	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC-MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Propiconazol	0.010PPM		
	Propiconazole	0.010PPM		
	Propiconazole	0.010PPM		
	Propisochlor	0.010PPM		
	Proquinazid	0.010PPM		
	Prosulfocarb	0.010PPM		
	Pyraclostrobin	0.010PPM		
	Pyrazosulfuron-ethyl	0.010PPM		
	Pyridalyl	0.010PPM		
	Pyridaphenthion	0.010PPM		
	Pyriproxyfen	0.010PPM		
	Quinoxifen	0.010PPM		
	Quintozene	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 36 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Sebuthylazin	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS- MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Sebuthylazine-desethyl	0.010PPM		
	Secbumeton	0.010PPM		
	Simetryn	0.010PPM		
	Spirotetramat	0.010PPM		
	Spiroxamine	0.010PPM		
	Spiroxamine	0.010PPM		
	Spiroxamine	0.010PPM		
	Sulfotep	0.010PPM		
	Sulprofos	0.010PPM		
	Tebuconazole	0.010PPM		
	Tebuufenpyrad	0.010PPM		
	Tecnazene (TCNB)	0.010PPM		
	Teflubenzuron	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 37 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ PPM	Standard Specifications / Techniques Used	
Food of animal origin	Tefluthrin	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Terbacil	0.010PPM		
	Tetraconazole	0.010PPM		
	Tetradifon	0.010PPM		
	Thiamethoxam	0.010PPM		
	Thiencarbazone-methyl	0.010PPM		
	Thifensulfuron-methyl	0.010PPM		
	Thiobencarb	0.010PPM		
	Thiofanox	0.010PPM		
	Thiophanate-methyl	0.010PPM		
	Tolclofos-methyl	0.010PPM		
	Tralkoxydim	0.010PPM		
	Transfluthrin	0.010PPM		
	Triadimefon	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 38 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. (0):

Valid to: : July 07, 2026

Materials Products Tested	Types of Tests / Properties Measured / Range of Measurements	LOQ	Standard Specifications / Techniques Used	
Food of animal origin	Triadimenol	0.010PPM	Anal bional chem journal 407:3727-3742 :2015	Thermo Scientific GC- MS-MS: Model: TSQ 9610, TSQ96MT2205009, LCMSMS SCIEX, 6500+QTRAP S.N.: DY26253207
	Triasulfuron	0.010PPM		
	Triazophos	0.010PPM		
	Tribenuron-methyl	0.010PPM		
	Trichlorfon	0.010PPM		
	Tricyclazole	0.010PPM		
	Trietazine	0.010PPM		
	Triflumuron	0.010PPM		
	Triflusulfuron-methyl	0.010PPM		
	Triticonazole	0.010PPM		
	Vamidotion	0.010PPM		
	Zoxamide	0.010PPM		



Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 39 of 40

كورنيش المعادي – برج رياض المعادي ١- القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Quality Control Testing Laboratories of Foodstuff
Central Department of Foodstuff Test Laboratories (CDFTL)
General Organization for Export and Import Control (GOEIC)
Aswan Port Branch

Aswan Governorate – Egypt

Schedule No.: 022206B

1st Accreditation date: July 08, 2022

Issue No. (02): May 24, 2024

Revision No. ():

Valid to: : July 07, 2026

Materials / Products Tested	Types of Tests / Properties Measured / Range of Measurements		Standard Specifications / Techniques Used	
Drinking water	Routine metals in drinking water		ISO 15586/2023	Atomic Absorption Spectroscopy Model: ZEE NIT 700P
	Element	LOQ		
	Cadmium (Cd)	1 ppb		
	Lead (Pb),	3 ppb		
	Zinc (Zn),	3.5 ppb		
	Copper (Cu),	5 ppb		
	Iron (Fe)	20 ppb		
	Chromium (Cr),	2 ppb		
	Manganese (Mn),	10 ppb		
	Nickel (Ni),	5 ppb		
	Aluminum (Al)	10 ppb		
Food	Determination of heavy metals in foods		AOAC 999.10/2005	Atomic Absorption Spectroscopy Model :ZEE NIT 700P GAAS and FAAS Microwave Model: Multiwave 5000, S.N.: 83402821
	Element	LOQ		
	Cadmium (Cd)	1 ppb		
	Lead (Pb)	5 ppb		
	Copper (Cu)	200 ppb		
	Zinc (Zn)	200 ppb		
	Iron (Fe)	600 ppb		

Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F4WI4TCL

1 / Dec 2018

Page 40 of 40

كورنيش المعادي – برج رياض المعادي ١ - القاهرة – مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)